

Walls: 600 x 300 Dark Grey Natural, 600 x 300 Light Grey Brushed / Floor: 600 x 600 Light Grey Brushed



Suitability:

| | |
|--|--------------------------------------|
| | Walls |
| | Floors |
| | R10 A and R11 C options |
| | Internal use External use options |

Options in this range:

| | |
|-----------|-----------------------------|
| Materials | Unglazed Porcelain |
| Finishes | Brushed Natural Slate |
| Edges | Rectified |
| Colours | 8 |


Fittings available:

| | |
|-------------|--|
| Bullnose | |
| Step Treads | |




ABSOLUTE : super white


Walls: 600 x 300 Super White Brushed / Floor: 600 x 600 Super White Brushed




| | |
|------------------------|-------------------|
| CB17-029-12015 Brushed | 1200 x 150 x 10mm |
| CB17-030-12015 Natural | 1200 x 150 x 10mm |
| CB17-032-12015 Slate | 1200 x 150 x 10mm |




| | |
|----------------------|------------------|
| CB17-031-MOS Natural | 300 x 300 x 10mm |
|----------------------|------------------|



| | |
|------------------------|-------------------|
| CB17-029-12030 Brushed | 1200 x 300 x 10mm |
| CB17-030-12030 Natural | 1200 x 300 x 10mm |
| CB17-032-12030 Slate | 1200 x 300 x 10mm |



| | |
|-----------------------|------------------|
| CB17-029-6030 Brushed | 600 x 300 x 10mm |
| CB17-030-6030 Natural | 600 x 300 x 10mm |
| CB17-032-6030 Slate | 600 x 300 x 10mm |





| | |
|------------------------|-------------------|
| CB17-029-12060 Brushed | 1200 x 600 x 10mm |
| CB17-030-12060 Natural | 1200 x 600 x 10mm |
| CB17-032-12060 Slate | 1200 x 600 x 10mm |



| | |
|-----------------------|------------------|
| CB17-029-6060 Brushed | 600 x 600 x 10mm |
| CB17-030-6060 Natural | 600 x 600 x 10mm |
| CB17-032-6060 Slate | 600 x 600 x 10mm |



finishes available:



Due to the manufacturing process used to achieve Super White and Super Black, slate finishes in these two shades are not suitable for use in areas with a high slip potential. See the technical charts for further details.


fittings:

Bullnose




| | |
|-----------------------|------------|
| CB17-030-6007 Natural | 600 x 70mm |
|-----------------------|------------|

Step Tread



| | |
|------------------------|-------------------|
| CB17-030-GRAD1 Brushed | 1200 x 300 x 10mm |
| CB17-032-GRAD1 Slate | 1200 x 300 x 10mm |

Step Tread




| | |
|------------------------|------------------|
| CB17-030-GRAD2 Brushed | 600 x 300 x 10mm |
| CB17-032-GRAD2 Slate | 600 x 300 x 10mm |




Walls: 600 x 300 Super Black Slate / Floor: 600 x 600 White Natural




| | |
|------------------------|-------------------|
| CB17-025-12015 Brushed | 1200 x 150 x 10mm |
| CB17-026-12015 Natural | 1200 x 150 x 10mm |
| CB17-028-12015 Slate | 1200 x 150 x 10mm |




| | |
|------------------------|-------------------|
| CB17-025-12030 Brushed | 1200 x 300 x 10mm |
| CB17-026-12030 Natural | 1200 x 300 x 10mm |
| CB17-028-12030 Slate | 1200 x 300 x 10mm |



| | |
|------------------------|-------------------|
| CB17-025-12060 Brushed | 1200 x 600 x 10mm |
| CB17-026-12060 Natural | 1200 x 600 x 10mm |
| CB17-028-12060 Slate | 1200 x 600 x 10mm |



CB17-027-MOS Natural 300 x 300 x 10mm





| | |
|-----------------------|------------------|
| CB17-025-6030 Brushed | 600 x 300 x 10mm |
| CB17-026-6030 Natural | 600 x 300 x 10mm |
| CB17-028-6030 Slate | 600 x 300 x 10mm |



| | |
|-----------------------|------------------|
| CB17-025-6060 Brushed | 600 x 600 x 10mm |
| CB17-026-6060 Natural | 600 x 600 x 10mm |
| CB17-028-6060 Slate | 600 x 600 x 10mm |



finishes available:




fittings:

Bullnose




CB17-026-6007 Natural 600 x 70mm

Step Tread



| | |
|------------------------|-------------------|
| CB17-026-GRAD1 Brushed | 1200 x 300 x 10mm |
| CB17-028-GRAD1 Slate | 1200 x 300 x 10mm |

Step Tread



| | |
|------------------------|------------------|
| CB17-026-GRAD2 Brushed | 600 x 300 x 10mm |
| CB17-028-GRAD2 Slate | 600 x 300 x 10mm |

super white

white

light grey

mid grey

grey

dark grey


black

super black


ABSOLUTE : light grey




| | |
|------------------------|-------------------|
| CB17-021-12015 Brushed | 1200 x 150 x 10mm |
| CB17-022-12015 Natural | 1200 x 150 x 10mm |
| CB17-024-12015 Slate | 1200 x 150 x 10mm |




| | |
|------------------------|-------------------|
| CB17-021-12030 Brushed | 1200 x 300 x 10mm |
| CB17-022-12030 Natural | 1200 x 300 x 10mm |
| CB17-024-12030 Slate | 1200 x 300 x 10mm |



| | |
|------------------------|-------------------|
| CB17-021-12060 Brushed | 1200 x 600 x 10mm |
| CB17-022-12060 Natural | 1200 x 600 x 10mm |
| CB17-024-12060 Slate | 1200 x 600 x 10mm |



CB17-023-MOS Natural 300 x 300 x 10mm




| | |
|-----------------------|------------------|
| CB17-021-6030 Brushed | 600 x 300 x 10mm |
| CB17-022-6030 Natural | 600 x 300 x 10mm |
| CB17-024-6030 Slate | 600 x 300 x 10mm |









| | |
|-----------------------|------------------|
| CB17-021-6060 Brushed | 600 x 600 x 10mm |
| CB17-022-6060 Natural | 600 x 600 x 10mm |
| CB17-024-6060 Slate | 600 x 600 x 10mm |

finishes available:



600 x 300 Light Grey Brushed




fittings:

Bullnose




CB17-022-6007 Natural 600 x 70mm

Step Tread



| | |
|------------------------|-------------------|
| CB17-022-GRAD1 Brushed | 1200 x 300 x 10mm |
| CB17-024-GRAD1 Slate | 1200 x 300 x 10mm |

Step Tread




| | |
|------------------------|------------------|
| CB17-022-GRAD2 Brushed | 600 x 300 x 10mm |
| CB17-024-GRAD2 Slate | 600 x 300 x 10mm |


ABSOLUTE : mid grey



| | |
|------------------------|-------------------|
| CB17-017-12015 Brushed | 1200 x 150 x 10mm |
| CB17-018-12015 Natural | 1200 x 150 x 10mm |
| CB17-020-12015 Slate | 1200 x 150 x 10mm |



| | |
|----------------------|------------------|
| CB17-019-MOS Natural | 300 x 300 x 10mm |
|----------------------|------------------|



| | |
|------------------------|-------------------|
| CB17-017-12030 Brushed | 1200 x 300 x 10mm |
| CB17-018-12030 Natural | 1200 x 300 x 10mm |
| CB17-020-12030 Slate | 1200 x 300 x 10mm |



| | |
|-----------------------|------------------|
| CB17-017-6030 Brushed | 600 x 300 x 10mm |
| CB17-018-6030 Natural | 600 x 300 x 10mm |
| CB17-020-6030 Slate | 600 x 300 x 10mm |




| | |
|------------------------|-------------------|
| CB17-017-12060 Brushed | 1200 x 600 x 10mm |
| CB17-018-12060 Natural | 1200 x 600 x 10mm |
| CB17-020-12060 Slate | 1200 x 600 x 10mm |





| | |
|-----------------------|------------------|
| CB17-017-6060 Brushed | 600 x 600 x 10mm |
| CB17-018-6060 Natural | 600 x 600 x 10mm |
| CB17-020-6060 Slate | 600 x 600 x 10mm |


finishes available:











fittings:

Bullnose 
 CB17-018-6007 Natural 600 x 70mm

Step Tread 
 CB17-018-GRAD1 Brushed 1200 x 300 x 10mm
 CB17-020-GRAD1 Slate 1200 x 300 x 10mm

Step Tread 
 CB17-018-GRAD2 Brushed 600 x 300 x 10mm
 CB17-020-GRAD2 Slate 600 x 300 x 10mm






| | |
|------------------------|-------------------|
| CB17-013-12015 Brushed | 1200 x 150 x 10mm |
| CB17-014-12015 Natural | 1200 x 150 x 10mm |
| CB17-016-12015 Slate | 1200 x 150 x 10mm |



| | |
|------------------------|-------------------|
| CB17-013-12030 Brushed | 1200 x 300 x 10mm |
| CB17-014-12030 Natural | 1200 x 300 x 10mm |
| CB17-016-12030 Slate | 1200 x 300 x 10mm |



| | |
|------------------------|-------------------|
| CB17-013-12060 Brushed | 1200 x 600 x 10mm |
| CB17-014-12060 Natural | 1200 x 600 x 10mm |
| CB17-016-12060 Slate | 1200 x 600 x 10mm |



CB17-015-MOS Natural 300 x 300 x 10mm




| | |
|-----------------------|------------------|
| CB17-013-6030 Brushed | 600 x 300 x 10mm |
| CB17-014-6030 Natural | 600 x 300 x 10mm |
| CB17-016-6030 Slate | 600 x 300 x 10mm |





| | |
|-----------------------|------------------|
| CB17-013-6060 Brushed | 600 x 600 x 10mm |
| CB17-014-6060 Natural | 600 x 600 x 10mm |
| CB17-016-6060 Slate | 600 x 600 x 10mm |


finishes available:









fittings:

Bullnose 
 CB17-014-6007 Natural 600 x 70mm

Step Tread 
 CB17-014-GRAD1 Brushed 1200 x 300 x 10mm
 CB17-016-GRAD1 Slate 1200 x 300 x 10mm

Step Tread 
 CB17-014-GRAD2 Brushed 600 x 300 x 10mm
 CB17-016-GRAD2 Slate 600 x 300 x 10mm




ABSOLUTE : dark grey

Wall: 600 x 300 Dark Grey Natural / Floor: 600 x 600 Light Grey Brushed



| | |
|------------------------|-------------------|
| CB17-009-12015 Brushed | 1200 x 150 x 10mm |
| CB17-010-12015 Natural | 1200 x 150 x 10mm |
| CB17-012-12015 Slate | 1200 x 150 x 10mm |



CB17-011-MOS Natural 300 x 300 x 10mm




| | |
|------------------------|-------------------|
| CB17-009-12030 Brushed | 1200 x 300 x 10mm |
| CB17-010-12030 Natural | 1200 x 300 x 10mm |
| CB17-012-12030 Slate | 1200 x 300 x 10mm |



| | |
|-----------------------|------------------|
| CB17-009-6030 Brushed | 600 x 300 x 10mm |
| CB17-010-6030 Natural | 600 x 300 x 10mm |
| CB17-012-6030 Slate | 600 x 300 x 10mm |



| | |
|------------------------|-------------------|
| CB17-009-12060 Brushed | 1200 x 600 x 10mm |
| CB17-010-12060 Natural | 1200 x 600 x 10mm |
| CB17-012-12060 Slate | 1200 x 600 x 10mm |



| | |
|-----------------------|------------------|
| CB17-009-6060 Brushed | 600 x 600 x 10mm |
| CB17-010-6060 Natural | 600 x 600 x 10mm |
| CB17-012-6060 Slate | 600 x 600 x 10mm |

finishes available:




fittings:

Bullnose




CB17-010-6007 Natural 600 x 70mm

Step Tread



| | |
|------------------------|-------------------|
| CB17-010-GRAD1 Brushed | 1200 x 300 x 10mm |
| CB17-012-GRAD1 Slate | 1200 x 300 x 10mm |

Step Tread



| | |
|------------------------|------------------|
| CB17-010-GRAD2 Brushed | 600 x 300 x 10mm |
| CB17-012-GRAD2 Slate | 600 x 300 x 10mm |

super white

white

light grey

mid grey

grey

dark grey

black


super black




| | |
|------------------------|-------------------|
| CB17-005-12015 Brushed | 1200 x 150 x 10mm |
| CB17-006-12015 Natural | 1200 x 150 x 10mm |
| CB17-008-12015 Slate | 1200 x 150 x 10mm |



| | |
|------------------------|-------------------|
| CB17-005-12030 Brushed | 1200 x 300 x 10mm |
| CB17-006-12030 Natural | 1200 x 300 x 10mm |
| CB17-008-12030 Slate | 1200 x 300 x 10mm |




| | |
|------------------------|-------------------|
| CB17-005-12060 Brushed | 1200 x 600 x 10mm |
| CB17-006-12060 Natural | 1200 x 600 x 10mm |
| CB17-008-12060 Slate | 1200 x 600 x 10mm |



CB17-007-MOS Natural 300 x 300 x 10mm





| | |
|-----------------------|------------------|
| CB17-005-6030 Brushed | 600 x 300 x 10mm |
| CB17-006-6030 Natural | 600 x 300 x 10mm |
| CB17-008-6030 Slate | 600 x 300 x 10mm |



| | |
|-----------------------|------------------|
| CB17-005-6060 Brushed | 600 x 600 x 10mm |
| CB17-006-6060 Natural | 600 x 600 x 10mm |
| CB17-008-6060 Slate | 600 x 600 x 10mm |



finishes available:




fittings:

Bullnose




CB17-006-6007 Natural 600 x 70mm

Step Tread



| | |
|------------------------|-------------------|
| CB17-006-GRAD1 Brushed | 1200 x 300 x 10mm |
| CB17-008-GRAD1 Slate | 1200 x 300 x 10mm |

Step Tread



| | |
|------------------------|------------------|
| CB17-006-GRAD2 Brushed | 600 x 300 x 10mm |
| CB17-008-GRAD2 Slate | 600 x 300 x 10mm |

super white

white

light grey

mid grey

grey

dark grey

black


super black

ABSOLUTE : super black

600 x 600 Super Black Natural



| | |
|------------------------|-------------------|
| CB17-001-12015 Brushed | 1200 x 150 x 10mm |
| CB17-002-12015 Natural | 1200 x 150 x 10mm |
| CB17-004-12015 Slate | 1200 x 150 x 10mm |




CB17-003-MOS Natural 300 x 300 x 10mm



| | |
|------------------------|-------------------|
| CB17-001-12030 Brushed | 1200 x 300 x 10mm |
| CB17-002-12030 Natural | 1200 x 300 x 10mm |
| CB17-004-12030 Slate | 1200 x 300 x 10mm |



| | |
|-----------------------|------------------|
| CB17-001-6030 Brushed | 600 x 300 x 10mm |
| CB17-002-6030 Natural | 600 x 300 x 10mm |
| CB17-004-6030 Slate | 600 x 300 x 10mm |





| | |
|------------------------|-------------------|
| CB17-001-12060 Brushed | 1200 x 600 x 10mm |
| CB17-002-12060 Natural | 1200 x 600 x 10mm |
| CB17-004-12060 Slate | 1200 x 600 x 10mm |



| | |
|-----------------------|------------------|
| CB17-001-6060 Brushed | 600 x 600 x 10mm |
| CB17-002-6060 Natural | 600 x 600 x 10mm |
| CB17-004-6060 Slate | 600 x 600 x 10mm |



finishes available:



Due to the manufacturing process used to achieve Super White and Super Black, slate finishes in these two shades are not suitable for use in areas with a high slip potential. See the technical charts for further details.


fittings:

Bullnose



CB17-002-6007 Natural 600 x 70mm

Step Tread



| | |
|------------------------|-------------------|
| CB17-002-GRAD1 Brushed | 1200 x 300 x 10mm |
| CB17-004-GRAD1 Slate | 1200 x 300 x 10mm |

Step Tread



| | |
|------------------------|------------------|
| CB17-002-GRAD2 Brushed | 600 x 300 x 10mm |
| CB17-004-GRAD2 Slate | 600 x 300 x 10mm |

super black

ABSOLUTE

Suitability:

| | |
|--|--------------------------------------|
| | Walls |
| | Floors |
| | R10 A and R11 C options |
| | Internal use External use options |

Options in this range:

| | |
|-----------|-----------------------------|
| Materials | Unglazed Porcelain |
| Finishes | Brushed Natural Slate |
| Edges | Rectified |
| Colours | 8 |

Fittings available:

| | |
|-------------|--|
| Bullnose | |
| Step Treads | |

| DIMENSIONS / WEIGHT / PACKING | | | | | | | | | | |
|----------------------------------|-------------|------------|----------------|------------|-----------|-----------------|------------------------|----------------------|------------------|--|
| Description | Length (mm) | Width (mm) | Thickness (mm) | PCS per m2 | Kg per m2 | Pieces per pack | Coverage per pack (m2) | Weight per pack (kg) | Packs per pallet | |
| 1200 x 600 | 1200 | 600 | 10 | 1.389 | 22 | 2 | 0.72 | 15.84 | 50 | |
| 1200 x 300 | 1200 | 300 | 10 | 2.778 | 22 | 3 | 1.08 | 23.76 | 32 | |
| 1200 x 150 | 1200 | 150 | 10 | 5.556 | 22 | 6 | 1.08 | 23.76 | 36 | |
| 600 x 600 | 600 | 600 | 10 | 2.778 | 22 | 3 | 1.08 | 22.92 | 40 | |
| 600 x 300 | 600 | 300 | 10 | 5.556 | 22 | 6 | 1.08 | 22.48 | 40 | |
| 300 x 300 Mosaic | 300 | 300 | 10 | 11.111 | 22 | 11 | 0.99 | 21.78 | 45 | |
| | | | | per Lin.m | | | per Lin.m | | | |
| 1200 x 300 Step Tread* | 1200 | 300 | 10 | 0.833 | 6.60 | 3 | 3.60 | 23.76 | - | |
| 600 x 300 Step Tread* | 600 | 300 | 10 | 1.667 | 6.60 | 4 | 2.40 | 15.84 | - | |
| 1200 x 325 One Piece Step Tread* | 1200 | 325 | 10 | 0.833 | 7.15 | 2 | 2.40 | 17.16 | - | |
| 600 x 325 One Piece Step Tread* | 600 | 325 | 10 | 1.667 | 7.15 | 4 | 2.40 | 17.16 | - | |
| 600 x 70 Bullnose* | 600 | 70 | 10 | 1.667 | 1.53 | 10 | 6.00 | 9.20 | - | |

| TECHNICAL DETAILS / SUITABILITY | | | | | | | | | | |
|---------------------------------|----------------|-----------|-----------------------------|---------------------|---------------------|---------------------------|---------------------|----------------|-----------------|-----------------|
| Colour Name | Surface Finish | Ramp Test | Deep Abrasion (ISO 10545-6) | Shod Dry (4996 Dry) | Shod Wet (4996 Wet) | Barfoot Wet (TRRL 95 Wet) | Impregnate (yes/no) | Internal Walls | Internal Floors | External Floors |
| Super White | Brushed | - | PASS | 55 | 14 | - | ✓ | ✓ | ✗ | ✗ |
| White | Brushed | - | PASS | 51 | 16 | - | ✓ | ✓ | ✗ | ✗ |
| Light Grey | Brushed | - | PASS | 51 | 16 | - | ✓ | ✓ | ✗ | ✗ |
| Mid Grey | Brushed | - | PASS | 61 | 14 | - | ✓ | ✓ | ✗ | ✗ |
| Grey | Brushed | - | PASS | 61 | 14 | - | ✓ | ✓ | ✗ | ✗ |
| Dark Grey | Brushed | - | PASS | 64 | 15 | - | ✓ | ✓ | ✗ | ✗ |
| Black | Brushed | - | PASS | 51 | 16 | - | ✓ | ✓ | ✗ | ✗ |
| Super Black | Brushed | - | PASS | 58 | 15 | - | ✓ | ✓ | ✗ | ✗ |
| Super White | Natural | R10A | PASS | 45 | 22 | - | ✓ | ✓ | ✗ | ✗ |
| White | Natural | R10A | PASS | 58 | 35 | - | ✓ | ✓ | ✗ | ✗ |
| Light Grey | Natural | R10A | PASS | 61 | 30 | - | ✓ | ✓ | ✗ | ✗ |
| Mid Grey | Natural | R10A | PASS | 59 | 34 | - | ✓ | ✓ | ✗ | ✗ |
| Grey | Natural | R10A | PASS | 59 | 34 | - | ✓ | ✓ | ✗ | ✗ |
| Dark Grey | Natural | R10A | PASS | 60 | 29 | - | ✓ | ✓ | ✗ | ✗ |
| Black | Natural | R10A | PASS | 60 | 29 | - | ✓ | ✓ | ✗ | ✗ |
| Super Black | Natural | R10A | PASS | 61 | 34 | 26 | ✓ | ✓ | ✗ | ✗ |
| Super White# | Slate | - | PASS | 60 | 30 | 25 | ✓ | ✓ | ✗ | ✗ |
| White | Slate | R11C | PASS | 67 | 60 | 52 | ✓ | ✓ | ✓ | ✗ |
| Light Grey | Slate | R11C | PASS | 68 | 66 | 68 | ✓ | ✓ | ✓ | ✗ |
| Mid Grey | Slate | R11C | PASS | 63 | 49 | 46 | ✓ | ✓ | ✓ | ✗ |
| Grey | Slate | R11C | PASS | 75 | 70 | 59 | ✓ | ✓ | ✓ | ✗ |
| Dark Grey | Slate | R11C | PASS | 69 | 62 | 54 | ✓ | ✓ | ✓ | ✗ |
| Black | Slate | R11C | PASS | 68 | 60 | 60 | ✓ | ✓ | ✓ | ✗ |
| Super Black# | Slate | - | PASS | 61 | 38 | 34 | ✓ | ✓ | ✗ | ✗ |



* Slate finish Step Treads are suitable for external floor use. Natural versions are not.
 † Bullnoses are not suitable for external floor use.
 # Due to the manufacturing process used to achieve Super White and Super Black, slate finishes in these two shades are not suitable for use in areas with a high slip potential.